



© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

## NOTES:

- ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
- 2. ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
- 3. CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
- 4. ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE NRA SPECIFICATION FOR ROAD WORKS UNLESS NOTED OTHERWISE
- 5. THIS DRAWING IS FOR PLANNING PURPOSES
- 6. MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
- WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE

----- EXISTING GROUND PROFILE
PROPOSED GROUND PROFILE

P01	06-09-21	ISSUED FOR PLANNING			BS	PCC	
rev	date	description			by	chkd.	
	'		A - Approved				
client approval		B - Approved with comments					
		C - Do not use					
suitability			issue purpose				
S2 - INFORMATION			PLANNING				



CORK OFFICE: 14 South Mall, Cork. T12 CT91 PHONE +353 21 2024538 WATERFORD OFFICE: Suite 8b The Atrium, Maritana Gate, Canada Street, Waterford. X91 W028 PHONE +353 51 309 500

TEDCASTLES SITE, DUN LAOGHAIRE

FOUL DRAINAGE LONGITUDINAL SECTIONS

TED LIVING

designed by	author	scale	sheet size
PCC	BS	AS SHOWN	A1
drawing no.		•	revision
TE	P01		