



© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

NOTES:

- ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
- ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDANCE DATUM
- CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
- ALL NEW FOUL SEWER INFRASTRUCTURE SHALL BE LAID IN ACCORDANCE WITH IRISH WATER WASTEWATER INFRASTRUCTURE STANDARD DETAILS: CONSTRUCTION REQUIREMENTS FOR SELF-LAY DEVELOPMENTS DECEMBER 2017 (REVISION 03) DOCUMENT IW-CDS-5030-01
- ALL FOUL SEWERS TO BE uPVC TO COMPLY WITH IS EN 1401 2009/2012 UNLESS INDICATED OTHERWISE
- THIS DRAWING IS FOR PLANNING PURPOSES ONLY
- MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
- WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE AS STD-WW-08
- WHERE INDICATED, ALL DISTANCES FROM DIVERTED SEWER TO ADJACENT STRUCTURES ARE TO CENTRELINE OF NEW SEWER
- ALL NEW MANHOLES TO BE TO STD-WW-10 UNO

LEGEND

- SITE BOUNDARY
- COURTYARD OUTLINE
- EXISTING KERBS

SERVICES LEGEND

- PROPOSED FOUL SEWER
- PROPOSED SURFACE WATER SEWER
- EXISTING FOUL SEWER
- EXISTING SURFACE WATER SEWER
- PROPOSED WATERMAIN
- EXISTING WATERMAIN
- GULLY
- ACO DRAIN
- FILTER DRAIN
- ATTENUATION STORAGE
- PROPOSED FOUL WATER SLUNG DRAIN
- PROPOSED CAR PARK DRAINAGE
- PROPOSED SURFACE WATER SLUNG DRAIN
- PROPOSED SURFACE WATER RISING MAIN
- PROPOSED CARPARK DRAINAGE RISING MAIN

P02	06-09-21	REVISED FOR PLANNING	BS	PCC
P01	19-08-21	ISSUED FOR PLANNING	BS	PCC
rev	date	description	by	chkd.
		A - Approved		
		B - Approved with comments		
		C - Do not use		

suitability	issue purpose
S2 - INFORMATION	PLANNING

DBFL Consulting Engineers
Civil, Structural & Transportation Engineering
www.dbfl.ie

DUBLIN OFFICE: O'morad House, Upper O'morad Quay, Dublin 7, D07 W704
PHONE: +353 1 460 4000
CORK OFFICE: 14 South Mall, Cork, T12 CT91
PHONE: +353 21 204538
WATERFORD OFFICE: Suite 8b The Arkum, Marlboro Gate, Canada Street, Waterford, X91 W028
PHONE: +353 51 908 500

project ref.

TEDCASTLES SITE, DUN LAOGHAIRE

drawing title

SITE SERVICES LAYOUT

client

TED LIVING

designed by	author	scale	sheet size
NJF	BS	1:200	A1
drawing no.	revision		
TED-DBFL-CS-SP-DR-C-1201	P02		